

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	386	((data or attribut\$ or entity) near type) same (database\$ or table) same cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:53
L2	62132	((data or attribut\$ or entity) near (type or class\$4)) and (id or identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:53
L3	141	L2 and L1 and @ad<"20000603"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:53
L4	32	L3 and ((link\$3 or synapse or transmutation) with cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:53
L5	6	L4 and (cell near format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:55
L6	0	L4 and (link\$3 near cell near format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:55
L7	1	L4 and (link\$3 with cell with format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 09:14
L8	2	("5598519").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 09:33

EAST Search History

L9	2	("5231577").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 09:33
S1	55936	((data or attribut\$ or entity) near type) and (id or identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:48
S2	386	((data or attribut\$ or entity) near type) same (databases\$ or table) same cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:35
S3	336	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:36
S4	141	S3 and @ad<"20000603"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:48
S5	32	S4 and ((link\$3 or synapse or transmutation) with cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:48
S6	6	S4 and ((link\$3 or synapse or transmutation) near cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:38
S7	12	S5 and (cell with format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:49

EAST Search History

S8	62132	((data or attribut\$ or entity) near (type or class\$4)) and (id or identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:48
S9	141	S8 and S2 and @ad<"20000603"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:48
S10	32	S9 and ((link\$3 or synapse or transmutation) with cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:53
S11	12	S10 and (cell with format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:49

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

"data type" class format cell identification

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 191,000 for **"data type" class format cell identification** . (0.47 seconds)

ValueType Hierarchy (System)

The following table lists the **classes** derived from System. ... NET Framework
String **data type**. String always uses the default CultureInfo from the current ...
msdn2.microsoft.com/en-us/library/d2wazh93(VS.80).aspx - 78k -
[Cached](#) - [Similar pages](#)

Data Types :: Functions -- By Category (MATLAB Functions)

Access Java **classes** through MATLAB interface. **Data Type Identification** ... isa,
Determine whether input is object of given **class** (eg, **cell**) ...
www.mathworks.com/access/helpdesk/help/techdoc/ref/func_b30.html
- 32k - [Cached](#) - [Similar pages](#)

Data Editor

Simply leave the **cell** blank if the income data is missing. f. Column Formats.
The column **format** for the data editor has been set automatically to the width ...
web.uccs.edu/lbecker/SPSS/dataeditor.htm - 54k -
[Cached](#) - [Similar pages](#)

[doc] Multimedia Messaging Service (MMS): Media formats and codecs

File Format: Microsoft Word - [View as HTML](#)
The Scalable Polyphony MIDI (SP-MIDI) content **format** defined in Scalable ...
cell size under given criteria: • Type of service (**data type** and speed) ...
www.uom.ac.mu/.../1534/LectureNotes/Communication%20Networks%20/ UMTSMultimedia%20Messaging%20Service7.doc -
[Similar pages](#)

Brazilian Amazon Fire Frequency Data in Raster Format

Data Set Identification.. Brazilian Amazon Fire Frequency Data in Raster **Format**.
Data Set Introduction.. This data set contains a) weekly cumulative fire ...
www.whrc.org/southamerica/LBAData/Amaz_Fire.htm - 42k -
[Cached](#) - [Similar pages](#)

210 center Data format: Coordinate system: Theme keywords ...

File Format: Unrecognized - [View as HTML](#)
#uniqueID(this) Resource **Identification** Informtion ... **Data type**: class codelist
enumeration codelist element abstract **class** aggregate **class** specified **class** ...
www.esri.com/metadata/iso.xsl - [Similar pages](#)

Sponsored Links

Mortgage Leads >

Real-time and Fresh
Sold Max 2 Lenders
www.nrleads.com

Adult Friend Finder

Make new friends, find the hottest singles, wildest couples and groups
www.adult.friendfinder.com

Template

Generate high quality documents for print, fax, email, web delivery
www.Adobe.com/DocumentGeneration

IWS Biometric Engine

Enroll, manage & search multiple biometrics to confirm identities.
www.iwsinc.com/Biometrics

RFID Solutions

For all indoor/outdoor applications
See our Custom Smart Mark line!
www.fricknet.com

Data type

DataDirect Driver - No Clients Req.
Oracle, DB2, SQL Server, Sybase
www.datadirect.com/net

SQL Tool for Developers

Write SQL Code for All Major DB Platforms With a Single Tool
www.Embarcadero.com

NetBadge Online ID Badges

Secure ID Cards, Comp's. w/ many locations, Police/fire, Service Ind
www.beresfordco.com

FAO-UN GeoNetwork - Spatial Data and Information

Cell geometry, **identification** of grid data as point or cell ... **Format**,
description of the computer language construct that specifies the representation of ...
www.fao.org/geonetwork/srv/en/help.metadata - 77k - [Cached](#) - [Similar pages](#)

formats

data type : integer, Type of field (integer, real, string). **format** : 0, Field **format**
code (unused). field 1 : biomass, Field definition ...
www.ngdc.noaa.gov/seg/cdroms/ged_jia/html/formats.htm - 32k - [Cached](#) - [Similar pages](#)

Knowledge Base: ArcSDE Overview

Spatial index grid **cell** sizes. Envelope (mix,miny,maxx,maxy). ArcSDE internal ID.
Feature **class** description. Statistics on feature **class** shapes for data ...
www.metrokc.gov/gis/kb/Content/ArcSDE.htm - 45k - [Cached](#) - [Similar pages](#)

DTP Data Warehouse Model - Relational Database Tables

DATATYPEDESCRIPTION - explanation of what this **data type** is meant to contain ...
This table lists the **cell** line **identification** systems known to the database ...
dtp.nci.nih.gov/dw/database/warehouse_tables.html - 43k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

New! Crack the Code: [Play the Da Vinci Code Quest on Google](#).

"data type" class format cell identific Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google